MAI Work Order #_____

8

McCAMPBELL ANALYTICAL, INC.

1534 Willow Pass Rd. Pittsburg, Ca. 94565-1701
Telephone: (877) 252-9262 / Fax: (925) 252-9269
www.mccampbell.com main@mccampbell.com

CHAIN OF CUSTODY RECORD

Turn Around Time:	1 Day Rush		2 Day Rush		3 Day Rush		STD		Quote #																
J-Flag / MDL		ESL		Cleanup Approved		Dry Weight		Bottle Order #																	
Delivery Format:	PDF		GeoTracker EDF		EDD		CLIP EDT (DW)		Detect Summary																

Report To: Bill To:

Company:

Email:

Alt Email: Tele:

Project Name: Project #:

Project Location: PO #

Sampler Signature:

SAMPLE ID Location / Field Point	Sampling Date	Sampling Time	#Containers	Matrix	Preservative	Analysis Requested: EPA 537.1 (Drinking Water) 18 Analytes	PFAS by DOD QSM (Water or Soil) 28 Analytes	PFAS by DOD QSM (Non Potable Water) 38 Analytes	PFAS by DOD QSM Full List (Water or Soil) 42 Analytes																

MAI clients MUST disclose any dangerous chemicals known to be present in their submitted samples in concentrations that may cause immediate harm or serious future health endangerment as a result of brief, gloved, open air, sample handling by MAI staff. Non-disclosure incurs an immediate $250 surcharge and the client is subject to full legal liability for harm suffered. Thank you for your understanding and for allowing us to work safely.

* If metals are requested for water samples and the water type (Matrix) is not specified on the chain of custody, MAI will default to metals by E200.8.

Please provide an adequate volume of sample. If the volume is not sufficient for a MS/MSD a LCS/LCSD will be prepared in its place and noted in the report.

Comments / Instructions

Relinquished By / Company Name	Date	Time	Received By / Company Name	Date	Time

Matrix Code: DW=Drinking Water, GW=Ground Water, WW=Waste Water, SW=Seawater, S=Soil, SL=Sludge, A=Air, WP=Wipe, O=Other

Preservative Code: 1=4°C 2=Trizma 3=None

Temp _____ °C Initials _____

Reset Form