

McCAMPBELL ANALYTICAL, INC.
 1534 Willow Pass Rd. Pittsburg, Ca. 94565-1701
 Telephone: (877) 252-9262 / Fax: (925) 252-9269
www.mccampbell.com main@mccampbell.com

CHAIN OF CUSTODY RECORD											
Turn Around Time: 1 Day Rush			2 Day Rush			3 Day Rush			STD		Quote #
Approval To Run Past Hold Time						Initials:			Bottle Order #		
Delivery Format:		PDF	GeoTracker EDF				EDD		Write On (DW)		Detect Summary

Report To: _____ Bill To: _____
 Company: _____
 Email: _____
 Alt Email: _____ Tele: _____
 Project Name: _____ Project #: _____
 Project Location: _____ PO #: _____
 Sampler Signature: _____

Analysis Requested

SAMPLE ID Location / Field Point	Sampling		#Containers	Matrix	Preservative	Presence / Absence						Enumeration										
	Date	Time				Total Coliform w. E. Coli (SM9223B)	Fecal Coliform (SM9221E)	Heterotrophic Plate Count (SM9215B) or (SimPlate)	Salmonella (SM9260D)	Enterococci (SM9230D)	Legionella (Legiolert)	Total Coliform w. E. Coli (SM9223B)	Fecal Coliform (SM9221E)	Heterotrophic Plate Count (SM9215B) or (SimPlate)	Salmonella (SM9260D)	Enterococci (SM9230D)	Legionella (Legiolert)					

****MAI clients MUST disclose any dangerous chemicals known to be present in their submitted samples in concentrations that may cause immediate harm or serious future health endangerment as a result of brief, gloved, open air, sample handling by MAI staff. Non-disclosure incurs an immediate \$250 surcharge and the client is subject to full legal liability for harm suffered. Thank you for your understanding and for allowing us to work safely.**

Relinquished By / Company Name	Date	Time	Received By / Company Name	Date	Time	Comments / Instructions	

Matrix Code: DW=Drinking Water, GW=Ground Water, REC=Recreational Water, WW=Waste Water, SW=Seawater, S=Soil, SL=Sludge, A=Air, WP=Wipe, O=Other
 Preservative Code: 1=4°C 2=HCL 3=H₂SO₄ 4=HNO₃ 5=NaOH 6=ZnOAc/NaOH 7=None Temp _____ °C Initials _____