

MAI Standard Excel

LABSAMPID	LABCODE	SAMPID	PROJNAME	SAMPDATE	RECEIVEDATE	PREPDATE	MATRIX	TESTCODE	TESTNO	BATCHID	ANALDATE	ANALYTE	CAS	ANALYTETYPE	SAMPTYPE	FINALVAL	DILFAC	PQL	REC	SPIKE	RPD	LOWERCL	UPPERCL	UNITS	FLAG	ANALYST
2504273-001A	MAI	AAA-01	MAI Examples	04/01/2025	04/03/2025	04/14/2025	Water	METALS_TTLC_W	E200.7	315270	04/15/2025	Strontium	7440-24-6	A	SAMP	425	1	200							µg/L	VV
2504273-001A	MAI	AAA-01	MAI Examples	04/01/2025	04/03/2025	04/14/2025	Water	METALS_TTLC_W	E200.7	315270	04/15/2025	Terbium	7440-27-9	S	SAMP	109	1		109	500		70	130	PERCENT	VV	
2504273-003A	MAI	CCC-03	MAI Examples	04/01/2025	04/03/2025	04/16/2025	Water	418_SG_W	E418.1	315495	04/17/2025	MAI-SS	N/A	A	SAMP	107	10		107	100		70	130	PERCENT	HN	
2504273-003A	MAI	CCC-03	MAI Examples	04/01/2025	04/03/2025	04/16/2025	Water	418_SG_W	E418.1	315495	04/17/2025	TRPH	N/A	A	SAMP	57.0	10	10.0							mg/L	HN
2504273-005A	MAI	EEE-05	MAI Examples	04/01/2025	04/03/2025	04/11/2025	Water	524.2BASIC_W	E524.2	315261	04/11/2025	1,2,3-Trichlorobenzene	87-61-6	A	SAMP	47.6	2	1.00							µg/L	YVR
2504273-005A	MAI	EEE-05	MAI Examples	04/01/2025	04/03/2025	04/11/2025	Water	524.2BASIC_W	E524.2	315261	04/11/2025	1,2,4-Trimethylbenzene	95-63-6	A	SAMP	15.5	2	1.00							µg/L	YVR
2504273-005A	MAI	EEE-05	MAI Examples	04/01/2025	04/03/2025	04/11/2025	Water	524.2BASIC_W	E524.2	315261	04/11/2025	1,2-dcb-d4	2199-69-1	S	SAMP	98	2		98	25		70	130	PERCENT	YVR	
2504273-005A	MAI	EEE-05	MAI Examples	04/01/2025	04/03/2025	04/11/2025	Water	524.2BASIC_W	E524.2	315261	04/11/2025	4-BFB	460-00-4	A	SAMP	97	2		97	50		70	130	PERCENT	YVR	
2504273-005A	MAI	EEE-05	MAI Examples	04/01/2025	04/03/2025	04/11/2025	Water	524.2BASIC_W	E524.2	315261	04/11/2025	4-Isopropyl toluene	99-87-6	A	SAMP	12.1	2	1.00							µg/L	YVR
2504273-005A	MAI	EEE-05	MAI Examples	04/01/2025	04/03/2025	04/11/2025	Water	524.2BASIC_W	E524.2	315261	04/11/2025	cis-1,3-Dichloropropene	10061-01-5	A	SAMP	6.84	2	1.00							µg/L	YVR
2504273-005A	MAI	EEE-05	MAI Examples	04/01/2025	04/03/2025	04/11/2025	Water	524.2BASIC_W	E524.2	315261	04/11/2025	MTBE-D3	29366-08-3	S	SAMP	104	2		104	25		70	130	PERCENT	YVR	
2504273-005A	MAI	EEE-05	MAI Examples	04/01/2025	04/03/2025	04/11/2025	Water	524.2BASIC_W	E524.2	315261	04/11/2025	Naphthalene	91-20-3	A	SAMP	25.6	1	0.500							µg/L	YVR
2504273-005A	MAI	EEE-05	MAI Examples	04/01/2025	04/03/2025	04/11/2025	Water	524.2BASIC_W	E524.2	315261	04/11/2025	n-Butyl benzene	104-51-8	A	SAMP	16.7	1	0.500							µg/L	YVR
2504273-005A	MAI	EEE-05	MAI Examples	04/01/2025	04/03/2025	04/11/2025	Water	524.2BASIC_W	E524.2	315261	04/11/2025	trans-1,3-Dichloropropene	10061-02-6	A	SAMP	16.0	2	1.00							µg/L	YVR
2504273-006A	MAI	FFF-06	MAI Examples	04/01/2025	04/03/2025	04/10/2025	Water	524.2_THMS_W	E524.2	315159	04/10/2025	4-BFB	460-00-4	S	SAMP	98	5		98	125		70	130	PERCENT	YVR	
2504273-006A	MAI	FFF-06	MAI Examples	04/01/2025	04/03/2025	04/10/2025	Water	524.2_THMS_W	E524.2	315159	04/10/2025	Bromoform	75-25-2	A	SAMP	32.7	5	2.50							µg/L	YVR
2504273-006A	MAI	FFF-06	MAI Examples	04/01/2025	04/03/2025	04/10/2025	Water	524.2_THMS_W	E524.2	315159	04/10/2025	Dibromochloromethane	124-48-1	A	SAMP	35.1	5	2.50							µg/L	YVR
2504273-006A	MAI	FFF-06	MAI Examples	04/01/2025	04/03/2025	04/10/2025	Water	524.2_THMS_W	E524.2	315159	04/10/2025	MTBE-D3	29366-08-3	S	SAMP	102	5		102	25		70	130	PERCENT	YVR	
2504273-006A	MAI	FFF-06	MAI Examples	04/01/2025	04/03/2025	04/16/2025	Water	524.3_THMS_W	E524.3	315460	04/16/2025	4-BFB	460-00-4	S	SAMP	96	2		96	100		50	150	PERCENT	YVR	
2504273-006A	MAI	FFF-06	MAI Examples	04/01/2025	04/03/2025	04/16/2025	Water	524.3_THMS_W	E524.3	315460	04/16/2025	Bromoform	75-25-2	A	SAMP	31.6	2	0.800							µg/L	YVR
2504273-004A	MAI	DDD-04	MAI Examples	04/01/2025	04/03/2025	04/11/2025	Water	624_W	E624.1	315264	04/11/2025	1,2-Dichlorobenzene	95-50-1	A	SAMP	82.2	5	2.50							µg/L	JEM
2504273-004A	MAI	DDD-04	MAI Examples	04/01/2025	04/03/2025	04/11/2025	Water	624_W	E624.1	315264	04/11/2025	1,3,5-Trimethylbenzene	108-67-8	A	SAMP	32.4	5	2.50							µg/L	JEM
2504273-004A	MAI	DDD-04	MAI Examples	04/01/2025	04/03/2025	04/11/2025	Water	624_W	E624.1	315264	04/11/2025	1,4-Dichlorobenzene	106-46-7	A	SAMP	37.1	5	2.50							µg/L	JEM
2504273-004A	MAI	DDD-04	MAI Examples	04/01/2025	04/03/2025	04/11/2025	Water	624_W	E624.1	315264	04/11/2025	4-BFB	460-00-4	S	SAMP	80	5		80	12.5		70	130	PERCENT	JEM	
2504273-004A	MAI	DDD-04	MAI Examples	04/01/2025	04/03/2025	04/11/2025	Water	624_W	E624.1	315264	04/11/2025	Dibromofluoromethane	1868-53-7	S	SAMP	93	5		93	125		70	130	PERCENT	JEM	
2504273-004A	MAI	DDD-04	MAI Examples	04/01/2025	04/03/2025	04/11/2025	Water	624_W	E624.1	315264	04/11/2025	Toluene-d8	2037-26-5	S	SAMP	98	5		98	125		70	130	PERCENT	JEM	
2504273-001A	MAI	AAA-01	MAI Examples	04/01/2025	04/03/2025	04/14/2025	Water	METALS_6010_TTLC_W	SW6010B	315270	04/15/2025	Strontium	7440-24-6	A	SAMP	425	1	200							µg/L	VV
2504273-001A	MAI	AAA-01	MAI Examples	04/01/2025	04/03/2025	04/14/2025	Water	METALS_6010_TTLC_W	SW6010B	315270	04/15/2025	Terbium	7440-27-9	S	SAMP	109	1		109	500		70	130	PERCENT	VV	
2504273-002A	MAI	BBB-02	MAI Examples	04/01/2025	04/03/2025	04/11/2025	Water	TPH-GAS_W	SW8015B	315116	04/11/2025	aaa-TFT	98-08-8	S	SAMP	118	1.25		118	12.5		60	140	PERCENT	IA	
2504273-002A	MAI	BBB-02	MAI Examples	04/01/2025	04/03/2025	04/11/2025	Water	TPH-GAS_W	SW8015B	315116	04/11/2025	TPH(g) (C6-C12)	8006-61-9	A	SAMP	732	1.25	62.5							µg/L	IA
2504273-008A	MAI	HHH-08	MAI Examples	04/01/2025	04/03/2025	04/03/2025	Soil	TPH-GAS_S	SW8015B	314586	04/04/2025	2-Fluorotoluene	95-52-3	S	SAMP	1986	200		1986	0.100		60	140	PERCENT	IA	
2504273-008A	MAI	HHH-08	MAI Examples	04/01/2025	04/03/2025	04/03/2025	Soil	TPH-GAS_S	SW8015B	314586	04/04/2025	TPH(g) (C6-C12)	8006-61-9	A	SAMP	1250	200	200							mg/Kg	IA
2504273-011A	MAI	KKK-11	MAI Examples	04/01/2025	04/03/2025	04/16/2025	Soil	8081_TCLP_S	SW8081B	315477	04/21/2025	Decachlorobiphenyl	2051-24-3	A	SAMP	125	20		125	0.00125		70	130	PERCENT	CN	
2504273-011A	MAI	KKK-11	MAI Examples	04/01/2025	04/03/2025	04/16/2025	Soil	8081_TCLP_S	SW8081B	315477	04/21/2025	Endrin	72-20-8	A	SAMP	0.0473	20	0.000500							mg/L	CN
2504273-011A	MAI	KKK-11	MAI Examples	04/01/2025	04/03/2025	04/16/2025	Soil	8081_TCLP_S	SW8081B	315477	04/21/2025	Heptachlor	76-44-8	A	SAMP	0.0571	20	0.000500							mg/L	CN
2504273-011A	MAI	KKK-11	MAI Examples	04/01/2025	04/03/2025	04/16/2025	Soil	8081_TCLP_S	SW8081B	315477	04/21/2025	Heptachlor epoxide	1024-57-3	A	SAMP	0.0441	20	0.000500							mg/L	CN
2504273-011A	MAI	KKK-11	MAI Examples	04/01/2025	04/03/2025	04/16/2025	Soil	8081_TCLP_S	SW8081B	315477	04/21/2025	Methoxychlor	72-43-5	A	SAMP	0.0625	20	0.000500							mg/L	CN
2504273-010A	MAI	JJJ-10	MAI Examples	04/01/2025	04/03/2025	04/07/2025	Soil	8082_PCB_S	SW8082A	314794	04/07/2025	Aroclor1232	11141-16-5	A	SAMP	ND	20	1.00							mg/kg	EEV
2504273-010A	MAI	JJJ-10	MAI Examples	04/01/2025	04/03/2025	04/07/2025	Soil	8082_PCB_S	SW8082A	314794	04/07/2025	Decachlorobiphenyl	2051-24-3	S	SAMP	135	20		135	0.0500		60	130	PERCENT	IA	
2504273-002A	MAI	BBB-02	MAI Examples	04/01/2025	04/03/2025	04/21/2025	Water	8260GAS_W	SW8260D	315740	04/21/2025	Dibromofluoromethane	1868-53-7	S	SAMP	102	2		102	50		70	130	PERCENT	JEM	
2504273-002A	MAI	BBB-02	MAI Examples	04/01/2025	04/03/2025	04/21/2025	Water	8260GAS_W	SW8260D	315740	04/21/2025	TPH(g)	8006-61-9	A	SAMP	656	2	100							µg/L	JEM
2504273-004A	MAI	DDD-04	MAI Examples	04/01/2025	04/03/2025	04/11/2025	Water	8260_W	SW8260D	315264	04/11/2025	1,2-Dichlorobenzene	95-50-1	A	SAMP	82.2	5	2.50							µg/L	JEM
2504273-004A	MAI	DDD-04	MAI Examples	04/01/2025	04/03/2025	04/11/2025	Water	8260_W	SW8260D	315264	04/11/2025	1,3,5-Trimethylbenzene	108-67-8	A	SAMP	32.4	5	2.50							µg/L	JEM
2504273-004A	MAI	DDD-04	MAI Examples	04/01/2025	04/03/2025	04/11/2025	Water	8260_W	SW8260D	315264	04/11/2025	1,4-Dichlorobenzene	106-46-7	A	SAMP	37.1	5	2.50							µg/L	JEM
2504273-004A	MAI	DDD-04	MAI Examples	04/01/2025	04/03/2025	04/11/2025	Water	8260_W	SW8260D	315264	04/11/2025	4-BFB	460-00-4	S	SAMP	80	5		80	12.5		70	130	PERCENT	JEM	
2504273-004A	MAI	DDD-04	MAI Examples	04/01/2025	04/03/2025	04/11/2025	Water	8260_W	SW8260D	315264	04/11/2025	Dibromofluoromethane	1868-53-7	S	SAMP	93	5		93	125		70	130	PERCENT	JEM	
2504273-004A	MAI	DDD-04	MAI Examples	04/01/2025	04/03/2025	04/11/2025	Water	8260_W	SW8260D	315264	04/11/2025	Toluene-d8	2037-26-5	S	SAMP	98	5		98	125		70	130	PERCENT	JEM	
2504273-008A	MAI	HHH-08	MAI Examples	04/01/2025	04/03/2025	04/10/2025	Soil	8260GAS_S	SW8260D	315044	04/22/2025	Benzene-D6	1076-43-3	S	SAMP	111	100		111	0.100		50	140	PERCENT	JEM	
2504273-008A	MAI	HHH-08	MAI Examples	04/01/2025	04/03/2025	04/10/2025	Soil	8260GAS_S	SW8260D	315044	04/22/2025	Dibromofluoromethane	1868-53-7	S	SAMP	102	100		102	12.5		70	140	PERCENT	JEM	
2504273-008A	MAI	HHH-08	MAI Examples	04/0																						

